

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▾[Sign in](#)

Google

content download based on application type

Search

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 59,500,000 for content download based on application type. (0.36 seconds)

O'Reilly - Safari Books Online - 0596527225 - Cisco IOS Cookbook ...
Using Policy-Based Routing to Route Based on Application Type ... Login, Subscribe or
Try Safari Now to access the entire content. ...
safari.oreilly.com/0596527225/tl_0596527225_CHP_5_SECT_8 - Similar pages

iPhone Dev Center - Apple Developer Connection

The following guidelines will help you prepare web content and design a website or web-based application for iPhone. If you are a seasoned web developer, ...
developer.apple.com/iphone/designingcontent.html - 57k - Cached - Similar pages

jGuru: How do I download a (binary, text, executable) file from a ...
but for c.bmp, whose content-type was also APPLICATION/OCTET-STREAM, and for
some other files, it opens a "File Download" Dialog Box, with options "Open ...
www.jguru.com/faq/view.jsp?EID=10646 - 76k - Cached - Similar pages

Internet Explorer download problem

header("Content-Type: application/force-download"); header("Content-Type:
application/octet-stream"); header("Content-Type: application/download"); ...
www.webmasterworld.com/forum88/5891.htm - Similar pages

File download behavior different between Netscape/IE - PHP

it uses the filename of your PHP script) header("Content-Type: application/download\n");
header("Content-Disposition: filename=\"\$archive\""); ...
www.thescripts.com/forum/thread1612.html - 33k - Cached - Similar pages

PHP: header - Manual

you will notice that the zip files becomes invalid after download, header("Content-type:
application/x-msexcel"); // This should work for the rest ...
www.php.net/header - 143k - Cached - Similar pages

Application intermediation gateway - US Patent 7076562

For instance, based on the device type used by the user, the content ... users help
integrating the users with content download sites and payment gateways. ...
www.patentstorm.us/patents/7076562-description.html - 43k - Cached - Similar pages

Full Application Availability: Radware Application Front End Solutions

Traffic can be classified based on any combination of Layer 4-7 parameters including
source and destination IPs, application type, session IDs, cookies, ...
www.radware.co.il/content/solutions/application_front_end/default.asp - 59k -
Cached - Similar pages

Troubleshoot Adobe Flash Player for Intel-based Macs

"The page "Flash Player" has content of MIME type "application/x-shockwave-flash", but
you don't have a plug-in installed for this MIME type." ...
kb.adobe.com/selfservice/viewContent.do?externalId=2dda3d81 - 32k -
Cached - Similar pages

XML.com: Developing Wireless Content using XHTML Mobile

If you want to develop WAP based content derived from XHTML, you can download

MIME type for XHTML Mobile Profile content: application/vnd.wap.xhtml+xml ...
www.xml.com/pub/a/2004/04/14/mobile.html · 37k · [Cached](#) · [Similar pages](#)

1 2 3 4 5 6 7 8 9 10 [Next](#)

content download based on applicat

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)